

Fasteners

Fasteners

Product Guide

Screws

	Page
Woodfast Countersunk	4.4
Hi-Lo Funnel Head	4.5
ChipFast Countersunk	4.6
SupaTop Countersunk	4.7
TapFast	4.8
CabFast	4.9
SoloFast	4.9
EuroFast	4.10
HandleFast	4.11
CombiFast	4.12

Brad Nails

C Series	4.13
C1 Series	4.13
DA13 Series	4.14

Staples

80 Series Wire Staples	4.15
------------------------	------

90 Series Wire Staples	4.15
------------------------	------

Accessories

Anchors	4.16
---------	------

WallMate	4.16
----------	------

Wall Plugs	4.16
------------	------

Cover Caps	4.17
------------	------





FastEdge Accessories	4.19
----------------------	------

Conversion Tables	4.20
-------------------	------

Fasteners

WoodFast Countersunk Screw





- Particle board screw with long and coarse thread
- Reinforced double countersunk head
- Deeper recess provides for higher torque
- 40° thread pitch

Technical details		Drive type	Thread gauge	Length (mm)	Item number	Zinc plated
WoodFast Countersunk Reinforced		Philips Drive No 2	3.5	13	611.8K16.235 →	013
		Philips Drive No 2	3	16	611.8K16.230 →	016
		Philips Drive No 2	3.5	16	611.8K16.235 →	016
		Philips Drive No 2	3.5	20	611.8K16.235 →	020
		Philips Drive No 2	3.5	25	611.8K16.235 →	025
		Philips Drive No 2	3.5	32	611.8K16.235 →	032
		Philips Drive No 2	3.5	40	611.8K16.235 →	040
		Philips Drive No 2	4	16	611.8K16.240 →	016
		Philips Drive No 2	4	20	611.8K16.240 →	020
		Philips Drive No 2	4	25	611.8K16.240 →	025
		Philips Drive No 2	4	28	611.8K16.240 →	028
		Philips Drive No 2	4	32	611.8K16.240 →	032
		Philips Drive No 2	4	40	611.8K16.240 →	040
		Philips Drive No 2	4	45	611.8K16.240 →	045
		Philips Drive No 2	4	50	611.8K16.240 →	050
		Philips Drive No 2	4	57	611.8K16.240 →	057
		Philips Drive No 2	4.5	65	611.8K16.245 →	065
		Philips Drive No 2	5	75	611.8K16.250 →	075
Made of steel						
WoodFast Countersunk Reinforced		Pozidrive No 2	3.5	13	611.8K24.235 →	013
		Pozidrive No 2	3	16	611.8K24.230 →	016
		Pozidrive No 2	3.5	16	611.8K24.235 →	016
		Pozidrive No 2	3.5	20	611.8K24.235 →	020
		Pozidrive No 2	3.5	25	611.8K24.235 →	025
		Pozidrive No 2	3.5	28	611.8K24.235 →	028
		Pozidrive No 2	3.5	32	611.8K24.235 →	032
		Pozidrive No 2	3.5	40	611.8K24.235 →	040
		Pozidrive No 2	4	16	611.8K24.240 →	016
		Pozidrive No 2	4	20	611.8K24.240 →	020
		Pozidrive No 2	4	25	611.8K24.240 →	025
		Pozidrive No 2	4	28	611.8K24.240 →	028
		Pozidrive No 2	4	32	611.8K24.240 →	032
		Pozidrive No 2	4	40	611.8K24.240 →	040
		Pozidrive No 2	4	45	611.8K24.240 →	045
		Pozidrive No 2	4	50	611.8K24.240 →	050
		Pozidrive No 2	4.5	57	611.8K24.245 →	057
		Pozidrive No 2	4.5	65	611.8K24.245 →	065
		Pozidrive No 2	5	75	611.8K24.250 →	075
Made of steel						

Fasteners

Hi-Lo Funnel Head Screws







- Hi-Lo™ screws have a twin thread for faster insertion
- 'Hi' threads and 'Lo' threads combine to give excellent pull-out strength in chipboard
- Funnel head design means no countersinking
- Steel is case-hardened for extra strength

Technical details		Drive type	Thread gauge	Length (mm)	Item number	Black	Nickel plated
WoodFast Countersunk Raised Head  		Philips Drive No 2	3.8	16	611.8K16.338 →		016
		<ul style="list-style-type: none"> • Perfect for use with hinges and base plates 					
Hi-Lo Funnel Head  		Philips Drive No 2	4	45	611.8F13.440 →	045	
		Pozidrive No 2	4	45	611.8F23.440 →	045	
		<ul style="list-style-type: none"> • Hi-Lo™ screws have a twin thread for faster insertion • 'Hi' threads and 'Lo' threads combine to give excellent pull-out strength in chipboard • Funnel head design means no countersinking • Steel is case-hardened for extra strength 					
Made of steel							

Fasteners

ChipFast Countersunk Nib Screws

- Self-countersinking head with nibs
- 3/4 thread
- Coarse thread
- Needle screw point



Technical details		Drive type	Thread gauge	Length (mm)	Item number	Zinc plated
<p>ChipFast Countersunk Nib</p>   	<p>Made of steel</p>	Philips Drive No 2	3.7	16	611.8C14.240 →	016
		Philips Drive No 2	4	20	611.8C14.240 →	019
		Philips Drive No 2	4	25	611.8C14.240 →	025
		Philips Drive No 2	4	28	611.8C14.240 →	028
		Philips Drive No 2	4	30	611.8C14.240 →	030
		Philips Drive No 2	4	32	611.8C14.240 →	032
		Philips Drive No 2	4	35	611.8C14.240 →	035
		Philips Drive No 2	4	38	611.8C14.240 →	038
		Philips Drive No 2	4	40	611.8C14.240 →	040
		Philips Drive No 2	4	45	611.8C14.240 →	045
		Philips Drive No 2	4	50	611.8C14.240 →	050
		Philips Drive No 2	4	57	611.8C14.240 →	057
		Philips Drive No 2	4	65	611.8C14.240 →	065
		Philips Drive No 2	5	75	611.8C14.250 →	075
		Philips Drive No 2	5	100	611.8C14.250 →	100
		<p>ChipFast Countersunk Nib</p>   	<p>Made of steel</p>	Pozidrive No 2	4	20
Pozidrive No 2	4			25	611.8C24.240 →	025
Pozidrive No 2	4			28	611.8C24.240 →	028
Pozidrive No 2	4			30	611.8C24.240 →	030
Pozidrive No 2	4			32	611.8C24.240 →	032
Pozidrive No 2	4			35	611.8C24.240 →	035
Pozidrive No 2	4			38	611.8C24.240 →	038
Pozidrive No 2	4			40	611.8C24.240 →	040
Pozidrive No 2	4			45	611.8C24.240 →	045
Pozidrive No 2	4			50	611.8C24.240 →	050
Pozidrive No 2	4			57	611.8C24.240 →	057
Pozidrive No 2	4			65	611.8C24.240 →	065
Pozidrive No 2	5			75	611.8C24.250 →	075
Made of steel						

Fasteners

SupaTop Countersunk Nib Head Hole

Head Hole Screws

- Reinforced double countersunk head with self-countersinking nibs
- Suitable for long stem head hole covers
- Deeper recess provides for higher torque

Technical details		Drive type	Thread gauge	Length (mm)	Item number	Zinc plated
SupaTop Countersunk Nib Head Hole		Philips Drive No 2	4.5	25	611.8H18.245 →	025
 <p>PH2</p> <p>Length</p>	Philips Drive No 2	4.5	28	611.8H18.245 →	028	
	Philips Drive No 2	4.5	30	611.8H18.245 →	030	
	Philips Drive No 2	4.5	35	611.8H18.245 →	035	
	Philips Drive No 2	4.5	40	611.8H18.245 →	040	
	Philips Drive No 2	4.5	45	611.8H18.245 →	045	
	Philips Drive No 2	4.5	50	611.8H18.245 →	050	
	Philips Drive No 2	4.5	60	611.8H18.245 →	060	
	Philips Drive No 2	4.5	65	611.8H18.245 →	065	
	Philips Drive No 2	4.5	70	611.8H18.245 →	070	
	Made of steel					
SupaTop Countersunk Nib Head Hole		Pozidrive No 2	4.5	25	611.8H28.245 →	025
 <p>PZ2</p> <p>Length</p>	Pozidrive No 2	4.5	28	611.8H28.245 →	028	
	Pozidrive No 2	4.5	30	611.8H28.245 →	030	
	Pozidrive No 2	4.5	35	611.8H28.245 →	035	
	Pozidrive No 2	4.5	40	611.8H28.245 →	040	
	Pozidrive No 2	4.5	45	611.8H28.245 →	045	
	Pozidrive No 2	4.5	50	611.8H28.245 →	050	
	Pozidrive No 2	4.5	60	611.8H28.245 →	060	
	Pozidrive No 2	4.5	65	611.8H28.245 →	065	
	Pozidrive No 2	4.5	70	611.8H28.245 →	070	
	Made of steel					





Fasteners

TapFast Screws

Technical details		Drive type	Thread gauge	Length (mm)	Item number	Zinc plated
TapFast Countersunk  	<p>Made of steel</p>	Philips Drive No 2	3.5	13	611.8112.235 →	013
		Philips Drive No 2	3.5	16	611.8112.235 →	016
		Philips Drive No 2	3.5	32	611.8112.235 →	032
		Philips Drive No 2	4	16	611.8112.240 →	016
TapFast Panhead  	<p>Made of steel</p>	Philips Drive No 2	3.5	16	611.8119.235 →	016
		Philips Drive No 2	4	16	611.8119.240 →	016

Fasteners


CabFast and SoloFast Screws

Technical details		Drive type	Thread gauge	Length (mm)	Item number	Zinc plated
CabFast Wafer Head  	Philips Drive No 2	4	16	611.8B17.140 →	016	
	Philips Drive No 2	4	28	611.8B17.140 →	028	
	Philips Drive No 2	4	32	611.8B17.140 →	032	
	Philips Drive No 2	4	50	611.8B17.140 →	050	
	Philips Drive No 2	4	65	611.8B17.140 →	065	
	<ul style="list-style-type: none"> • White button head • 3/4 thread • Course thread 					
Made of steel						
SoloFast Connecting  	Pozidrive No 2	5	50	611.8G22.050 →	050	
	Pozidrive No 3	7	50	611.8G22.070 →	050	
	<ul style="list-style-type: none"> • Cabinet construction screw • For pre-drilled stepped holes 					
Made of steel						

Fasteners


EuroFast Screws

- Hardware assembly screw
- For 5mm pre-drilled holes

Technical details		Drive type	Screw diameter (mm)	Head diameter (mm)	Length (mm)	Item number	Nickel plated
<p>EuroFast Screw</p>   <p>Countersunk screw</p> 	Countersunk	Pozidrive No 2	6	8	10	611.8E22.360 →	010
	Countersunk	Pozidrive No 2	6	8	13	611.8E22.360 →	013
	Countersunk	Pozidrive No 2	6.3	7	10	611.8E22.363 →	710
	Countersunk	Pozidrive No 2	6.3	7	13	611.8E22.363 →	713
	Countersunk	Pozidrive No 2	6.3	8	10	611.8E23.363 →	810
	Countersunk	Pozidrive No 2	6.3	8	13	611.8E23.363 →	813
Made of steel							



Fasteners

HandleFast Screws

Technical details		Type	Thread type	Length (mm)	Item number	Zinc plated
<p>HandleFast Trusshead</p> 	Trusshead	M4	10	611.8L35.245 →	010	
	Trusshead	M4	12	611.8L35.245 →	012	
	Trusshead	M4	16	611.8L35.245 →	016	
	Trusshead	M4	20	611.8L35.245 →	020	
	Trusshead	M4	22	611.8L35.245 →	022	
	Trusshead	M4	25	611.8L35.245 →	025	
	Trusshead	M4	32	611.8L35.245 →	032	
	Trusshead	M4	35	611.8L35.245 →	035	
	Trusshead	M4	38	611.8L35.245 →	038	
	Trusshead	M4	42	611.8L35.245 →	042	
	Trusshead	M4	45	611.8L35.245 →	045	
	Trusshead	M4	50	611.8L35.245 →	050	
	<p>· Combination head</p>					
<p>Made of steel</p>						

Fasteners

CombiFast Screws

Technical details		Type	Thread type	Length (mm)	Item number	Zinc plated	Yellow zinc
<p>CombiFast Insert Nuts</p>  	Insert Nut Type, Headed	1/4	20	611.8D22.014 →		202	
	Insert Nut Type, Headed	M6	13	611.8D22.060 →	132		
	Insert Nut Type, Headed	M6	16	611.8D22.060 →	616		
	Insert Nut Type, Unheaded	M6	20	611.8D22.360 →		132	

Made of zinc


Fasteners

Brad Nails

Technical details		Type	Thread gauge	Length (mm)	Item number	Galvanised
Brad Nails C Series		Brad Nail	16G	19	611.8P19.316 →	019
		Brad Nail	16G	25	611.8P19.316 →	025
		Brad Nail	16G	30	611.8P19.316 →	630
		Brad Nail	16G	32	611.8P19.316 →	632
		Brad Nail	16G	35	611.8P19.316 →	635
		Brad Nail	16G	38	611.8P19.316 →	638
		Brad Nail	16G	40	611.8P19.316 →	640
		Brad Nail	16G	45	611.8P19.316 →	645
		Brad Nail	16G	50	611.8P19.316 →	650
		Brad Nail	16G	64	611.8P19.316 →	664
		Made of steel				
Brad Nails C1 Series		Brad Nail	18G	13	611.8P19.318 →	813
		Brad Nail	18G	15	611.8P19.318 →	815
		Brad Nail	18G	20	611.8P19.318 →	820
		Brad Nail	18G	25	611.8P19.318 →	825
		Brad Nail	18G	30	611.8P19.318 →	830
		Brad Nail	18G	35	611.8P19.318 →	835
		Brad Nail	18G	40	611.8P19.318 →	840
		Brad Nail	18G	45	611.8P19.318 →	845
		Brad Nail	18G	50	611.8P19.318 →	850
		Made of steel				







Fasteners

Brad Nails

Technical details		Type	Thread gauge	Length (mm)	Item number	Galvanised
<p>Brad Nails DA Angle Series</p> 	Brad Nail	15G	25	611.8P19.415 →	025	
	Brad Nail	15G	32	611.8P19.415 →	032	
	Brad Nail	15G	38	611.8P19.415 →	038	
	Brad Nail	15G	45	611.8P19.415 →	045	
	Brad Nail	15G	50	611.8P19.415 →	050	
Made of steel						








Fasteners

Staples

Technical details		Type	Thread gauge	Length (mm)	Item number	Galvanised
Wire Staples 80 Series   		Staples		6	611.8P22.080 →	006
		Staples		10	611.8P22.080 →	010
		Staples		12	611.8P22.080 →	012
		Staples		14	611.8P22.080 →	014
Made of steel						
Wire Staples 90 Series   		Staples	18G	16	611.8P22.090 →	016
		Staples	18G	25	611.8P22.090 →	025
		Staples	18G	28	611.8P22.090 →	028
		Staples	18G	32	611.8P22.090 →	032
		Staples	18G	38	611.8P22.090 →	038
Made of steel						

Fasteners

Fastener Accessories

Technical details		Type	Diameter (mm)	Length (mm)	Item number	Yellow zinc	Zinc plated	Green	Red
Anchors  	Nylon Anchor, Philips Drive No. 2	6	60	611.8Q26.660 →	000				
	Nylon Anchor, Philips Drive No. 2	6	70	611.8Q26.670 →	000				
Made of nylon and steel									
WallMate  	Wallmate for Plasterboard, Philips Drive No. 2		45	611.8Q26.100 →		000			
Made of zinc									
Wall Plugs   	Wall Plug	7	50	611.8Q26.070 →			050		
	Wall Plug	6.5	35	611.8Q26.650 →			035		
	Red Spaghetti (For fixing into plasterboard)	Ø5.5mm inner Ø6mm Drill			611.8Q26.060 →				500
Made of plastic									





Fasteners

Cover Caps

Technical details		Type	Diameter (mm)	Finish	Item number
Star Screw Caps 		Star Screw Cap	12	White	611.8Q24.012.001
		Made of plastic			
SupaTop HH Caps 		SupaTop HH Cap	13	White	611.8Q25.013.001
		SupaTop HH Cap	13	New Antique White	611.8Q4.012.004
		SupaTop HH Cap	13	Black	611.8Q4.013.004
		SupaTop HH Cap	13	Folkstone Grey	611.8Q4.013.007
		Made of plastic			

Fasteners

FastCap Cover Caps

Technical details		Type	Diameter gauge (mm)	Thickness (mm)	Finish	Item number
FastCap 		FastCap	25	0.4	White	611.8Q24.225.001
		FastCap	25	0.4	Black	611.8Q24.225.002
		FastCap	25	0.4	Folkstone Grey	611.8Q24.225.007
		FastCap	25	0.4	Antique White	611.8Q24.225.005
		FastCap	18	0.4	White	611.8Q24.218.001
Made of PVC						
FastCap 		FastCap System 6	24 x 21	0.4	White	611.8Q24.614.001
		FastCap System 6	24 x 21	0.4	Antique White	611.8Q24.614.004
		FastCap System 6	24 x 21	0.4	Black	611.8Q24.614.002
		FastCap System 6	24 x 21	0.4	Folkstone Grey	611.8Q24.614.007
		FastCap	14	0.4	Wenge	611.8Q24.214.037
		FastCap	14	0.4	Beech	611.8Q24.214.028
		FastCap	14	0.4	Antique White	611.8Q24.214.004
		FastCap	14	0.4	Black	611.8Q24.214.002
		FastCap	14	0.4	Folkstone Grey	611.8Q24.214.007
		FastCap	14	0.4	Pecan	611.8Q24.214.038
		FastCap	14	0.4	Mahogany	611.8Q24.214.039
		FastCap	14	0.4	White	611.8Q24.214.001

Fasteners

FastEdge and Accessories

Technical details		Type	Width (mm)	Thickness (mm)	Item number	White	Black
FastEdge Edge Tape 	15m	EdgeTape	22	0.4	611.8Q24.222 →	151	
	76m	EdgeTape	22	0.4	611.8Q24.222 →	761	
	76m	EdgeTape	22	0.4	611.8Q24.222 →		762
Made of PVC							
FastCap Speed Tape 	15m	FastCap Speed Tape	25	0.4	611.8Q24.225 →	151	
FastCap Hole Punch Kit 		FastCap Hole Punch Pro Kit			611.8Q24.213.000		
FastCap Accuscribe Pro 		FastCap Accuscribe Pro			611.8Q24.203.000		
		<ul style="list-style-type: none"> • Easily maintain a consistent scribe offset • Ideal for scribing trim on kitchen cabinets, architectural mouldings, counter tops, splash guards, tile and even flooring • Fits a standard pencil or sharpie 					

Conversion Tables

Pilot Hole Detail

Screw Gauge			
Imperial	Metric	Pilot Hole MDF	Pilot Hole Partical Board
5	3.2	2.4mm	1.45mm
6	3.5	2.6mm	1.6mm
7	3.8	2.7mm	1.65mm
8	4.2	3.0mm	1.95mm
9	4.5	3.3mm	2.1mm

Metric – Imperial Conversion

Imperial Gauge	Exact Metric Equivalent	Nominal Metric Equivalent
3g	2.5	2.5
4g	2.8	3.0
5g	3.2	3.0
6g	3.5	3.5
7g	3.8	4.0
8g	4.2	4.0
9g	4.5	4.5
10g	4.8	5.0
12g	5.5	5.5
14g	6.2	6.0

Metric – Imperial Conversion

Imperial	Metric	Imperial	Metric
1/32	0.8	17/32	13.5
1/16	1.6	9/16	14.3
3/32	2.4	19/32	15.1
1/8	3.2	5/8	15.9
5/32	4	21/32	16.7
3/16	4.8	11/16	17.5
7/32	5.6	23/32	18.3
1/4	6.4	3/4	19.1
9/32	7.1	25/32	19.8
5/16	8	13/16	20.6
11/32	8.7	27/32	21.4
3/8	9.5	7/8	22.2
13/32	10.3	29/32	23
7/16	11.1	15/16	23.8
15/32	11.9	31/32	24.6
1/2	12.7	1	25.4